

Cannabinoids Potency/Homogeneity and Contaminant Analysis Report

Sample Name: First Crop REFRESH Mask Spray Lot # H5
 Sample Type: Topical, Other
 Sample ID: 2010AU0201.13873
 Batch ID:
 METRC Tag: 1A4000B00012FE9000000835

First Crop
 P.O. Box 95
 Salida, CO 81201
 (719) 239-1511
 Lic. #405R-00016.1

Cannabinoid Content

Sample Photo

Analyte	LOQ mg/unit	Amount mg/unit	Amount %
THCa	9.52	ND	ND
Δ9-THC	9.52	<LOQ	<LOQ
Δ8-THC	4.45	ND	ND
CBDa	9.52	ND	ND
CBD	9.52	607.61	1.066
CBDVa	4.45	ND	ND
CBDV	4.45	6.12	0.011
CBN	4.45	ND	ND
CBGa	4.45	ND	ND
CBG	4.45	12.28	0.022
CBCa	4.45	ND	ND
CBC	4.45	37.16	0.065
CBL	4.45	ND	ND



Units per Package: 1

Unit Type: 2 oz (57g)

CBD Homogeneity


Notes & Interpretations


Number of Samples Tested	1
CBD Homogeneity	Not Tested

Analyzed via AAM-001 using Agilent 1220 HPLC-DAD. Sample was analyzed as received. Deviations from SOP: None

Final Approval

Test Status


 Results Approved By:
 Lucas Mason, M.S.
 Lab Director


 Results Analyzed By:
 Joshua Reilly
 Analyst

THC Content	Pass
CBD Content	Pass
CBD Homogeneity	Not Tested

Received: 10/19/2020

Tested: 10/19/2020

Reported: 10/19/2020

Definitions: LOQ= Limit of Quantitation, ND = Not Detected

This product has been tested by Aurum Labs using validated testing methodologies (unless specified in this report) and a Quality System as required by state law. Values reported related only to the product tested. Uncertainty information available upon request. Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, with the written approval of Aurum Labs.



Aurum Labs
 208 Parker Avenue Suite A
 Durango, CO
 (970) 422-1867
 www.aurum-labs.com




Sample: 2010AU0201.13873

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



Refresh Mask Spray

Batch ID:	2009256	Test ID:	2323133.002
Reported:	7-Oct-2020	Method:	TM10
Type:	Concentrate		
Test:	Terpenes		

TERPENE PROFILE




Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.007	0.07
Camphene	0.000	0
delta-3-Carene	0.000	0
beta-Caryophyllene	0.034	0.34
(-)-Caryophyllene Oxide	0.000	0
p-Cymene	0.000	0
Eucalyptol	0.174	1.74
Geraniol	0.004	0.04
alpha-Humulene	0.009	0.09
(-)-Isopulegol	0.000	0
d-Limonene	0.122	1.22
Linalool	0.039	0.39
beta-Myrcene	0.015	0.15
cis-Nerolidol	0.000	0
trans-Nerolidol	0.002	0.02
Ocimene	0.013	0.13
beta-Ocimene	0.006	0.06
alpha-Pinene	0.011	0.11
(-)-beta-Pinene	0.021	0.21
alpha-Terpinene	0.001	0.01
gamma-Terpinene	0.015	0.15
Terpinolene	0.001	0.01
	0.474%	4.74

PREDOMINANT TERPENES

alpha-Pinene	0.011%
(-)-beta-Pinene	0.021%
beta-Myrcene	0.015%
delta-3-Carene	0.000%
alpha-Terpinene	0.001%
d-Limonene	0.122%
Linalool	0.039%
beta-Caryophyllene	0.034%
alpha-Humulene	0.009%
(-)-alpha-Bisabolol	0.007%

 NOTES:
 0

FINAL APPROVAL

 Daniel Weidensaul 7-Oct-2020 4:11 PM	 Greg Zimpfer 7-Oct-2020 4:26 PM
--	--

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

Refresh Mask Spray

Batch ID:	2009256	Test ID:	T000099763
Reported:	2-Oct-2020	Method:	TM17
Type:	Concentrate		
Test:	Pesticides		


PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	33 - 2300	ND*	Malathion	272 - 2300	ND*
Acetamiprid	34 - 2300	ND*	Metalaxyl	36 - 2300	ND*
Abamectin	>326	ND*	Methiocarb	37 - 2300	ND*
Azoxystrobin	42 - 2300	ND*	Methomyl	33 - 2300	ND*
Bifenazate	37 - 2300	ND*	MGK 264 1	160 - 2300	ND*
Boscalid	35 - 2300	ND*	MGK 264 2	108 - 2300	ND*
Carbaryl	34 - 2300	ND*	Myclobutanil	36 - 2300	ND*
Carbofuran	37 - 2300	ND*	Naled	36 - 2300	ND*
Chlorantraniliprole	45 - 2300	ND*	Oxamyl	33 - 2300	ND*
Chlorpyrifos	43 - 2300	ND*	Paclobutrazol	41 - 2300	ND*
Clofentezine	258 - 2300	ND*	Permethrin	264 - 2300	ND*
Diazinon	271 - 2300	ND*	Phosmet	40 - 2300	ND*
Dichlorvos	>250	ND*	Prophos	275 - 2300	ND*
Dimethoate	34 - 2300	ND*	Propoxur	37 - 2300	ND*
E-Fenpyroximate	272 - 2300	ND*	Pyridaben	271 - 2300	ND*
Etofenprox	40 - 2300	ND*	Spinosad A	26 - 2300	ND*
Etoxazole	268 - 2300	ND*	Spinosad D	74 - 2300	ND*
Fenoxycarb	>37	ND*	Spiromesifen	>267	ND*
Fipronil	36 - 2300	ND*	Spirotetramat	>278	ND*
Fonicamid	36 - 2300	ND*	Spiroxamine 1	16 - 2300	ND*
Fludioxonil	>261	ND*	Spiroxamine 2	20 - 2300	ND*
Hexythiazox	37 - 2300	ND*	Tebuconazole	341 - 2300	ND*
Imazalil	261 - 2300	ND*	Thiacloprid	36 - 2300	ND*
Imidacloprid	35 - 2300	ND*	Thiamethoxam	37 - 2300	ND*
Kresoxim-methyl	38 - 2300	ND*	Trifloxystrobin	39 - 2300	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


Sam Smith
 2-Oct-2020
 4:51 PM


Scott Hansen
 2-Oct-2020
 6:43 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Refresh Mask Spray

Batch ID:	2009256	Test ID:	T000099760
Reported:	5-Oct-2020	Method:	TM04
Type:	Topical		
Test:	Residual Solvents		


RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	87 - 1738	*ND
Butanes (Isobutane, n-Butane)	177 - 3544	*ND
Methanol	59 - 1183	*ND
Pentane	96 - 1920	*ND
Ethanol	89 - 1771	*ND
Acetone	99 - 1974	*ND
Isopropyl Alcohol	100 - 1992	*ND
Hexane	6 - 121	*ND
Ethyl Acetate	98 - 1964	*ND
Benzene	0.2 - 4	*ND
Heptanes	97 - 1941	*ND
Toluene	18 - 354	*ND
Xylenes (m,p,o-Xylenes)	128 - 2564	*ND


* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:
N/A

FINAL APPROVAL


 Daniel Weidensaul
 5-Oct-2020
 4:18 PM

PREPARED BY / DATE


 Greg Zimpfer
 5-Oct-2020
 6:26 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02


Refresh Mask Spray

Batch ID:	2009256	Test ID:	T000099764
Reported:	5-Oct-2020	Method:	TM19
Type:	Other		
Test:	Metals		


HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.122 - 12.20	ND
Cadmium	0.128 - 12.80	ND
Mercury	0.130 - 12.90	ND
Lead	0.128 - 12.70	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL
Ryan Weems
5-Oct-2020
6:10 PM

PREPARED BY / DATE


Greg Zimpfer
5-Oct-2020
8:49 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Refresh Mask Spray

Batch ID:	2009256	Test ID:	T000099761
Reported:	5-Oct-2020	Method:	TM24, TM25, TM26, TM27, TM28
Type:	Concentrate		
Test:	Microbial Contaminants		

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
STEC and 0157 E. coli	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram



** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected
Coliforms: None Detected

FINAL APPROVAL


Tori King
5-Oct-2020
1:40 PM
Greg Zimpfer
5-Oct-2020
3:09 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03



Certificate #4329.03